



MATERIAL SAFETY DATA SHEET

SECTION 1 — PRODUCT IDENTIFICATION

Product identifier: Computer Screen Cleaner

Product Number: 1970

HMIS: H1 F1 R0 PB

NFPA: H1 F1 R0 P- Level 1 Aerosol

Manufacturer's name and address: Refer to supplier

Supplier name and address:

ALBATROSS USA INC./EXPERT WORLDWIDE

36-41 36th Street
Long Island City, New York
United States
11106
718-392-6272

5439 San Fernando Road West
Los Angeles, California
United States
90039
818-543-5850

Emergency Telephone #: Chemtrec (Day or Night) 800-424-9300
(For Chemical Emergency: Spill, Leak, Fire, Exposure or Accident)

This MSDS complies with 29CFR 19190.1200 (Hazard Communication Standard) and WHMIS regulations.

IMPORTANT: Read this MSDS before handling and disposing of this product. Pass this information on to employees, customer, and users of this product.

SECTION 2 — HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components (Specific Chemical Identity)	OSHA PEL-TWA	ACGIH TLV-TWA	Other Limits Recommended	Percentage (Optional)
*2-Butoxyl Ethanol (111-76-2)	25 ppm	25 ppm	NA	1-5 %
Isopropyl Alcohol (67-63-0)	400 ppm	400 ppm	NA	
Isobutane (75-28-5)	NE ppm	NE ppm	800 ppm (Aeropress)	
Propane (74-98-6)	1000 ppm	NE ppm	1000 ppm (NIOSH)	

* Subject to the reporting requirements of SARA Section 313.

SECTION 3 — PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point (°F): 210	Specific Gravity (H₂O=1): 0.933
Vapor Pressure @ 70°F: 40 psig	Melting Point (°F): NA
Vapor Density (Air = 1): > 1	Evaporation Rate: < 1
Solubility in Water: Complete	(Butyl Acetate = 1)
Appearance & Odor: Translucent liquid with mild ammonia odor	

SECTION 4 — FIRE & EXPLOSION HAZARD DATA

Flash Point (°F): NA, TOC

Flammability Limit: LEL NA UEL NA

Extinguishing Media: Water, water fog, dry chemical, CO₂

Special Firefighting Procedures: Self-contained respiratory protection should be provided for firemen fighting in buildings or confined areas.

Unusual Fire & Explosion Hazards: Aerosols are under pressure. Exposure in excess of 120°F may cause bursting of can.

SECTION 5 — REACTIVITY DATA

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions to Avoid: NA

Conditions to Avoid: High temperatures

Incompatibility (Material to Avoid): Strong oxidizing agents and alkalies.

Hazardous Decomposition or Byproducts: Burns to form CO₂, CO, and possible incompletely decomposed materials.

SECTION 6 — HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? Yes Skin? Yes Ingestion? Yes

Health Hazards (Acute & Chronic): Maybe harmful if ingested. May cause eye and skin irritation. Overexposure may cause central nervous system depression.

Carcinogeny: NTP? No IARC Monographs? No OSHA Regulated? No

Signs & Symptoms of Exposure: Possible eye irritation. Concentrated vapors may cause dizziness, nausea, headache.

Medical Conditions Generally Aggravated by Exposure: None known.

Emergency & First Aid Procedures: Flush eyes with water. Wash skin with soap and water. Remove patient to fresh air. If ingested, call a physician if necessary.

SECTION 7 — PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be Taken in Case Material is Released or Spilled: Avoid inhalation of concentrated vapors. Absorb spilled material with appropriate absorbent.

Waste Disposal Method: Dispose of all waste in accordance with federal, state and local regulations.

Precautions to be Taken in Handling & Storage: Keep away from heat, sparks, open flame or direct sunshine. Do not puncture or incinerate container.

Precautions: Intentional misuse by deliberately concentrating and inhaling vapor contents can be harmful or fatal.

SECTION 8 — CONTROL MEASURES

Respiratory Protection: Not necessary under normal use.

